

Ornamental Gates

RICK'S

CUSTOM FENCING & DECKING

www.RicksFencing.com



Ornamental Gates

0/30807 - 2022

ORNAMENTAL GATES



Powder Coat Finishing

Powder coating is the technique of applying dry paint to a metal surface. Gate surfaces are machine sanded smooth prior to any coating. Any remaining oil and grease is removed with an alkali or neutral detergent solutions. The powdered paint is electrostatically charged and sprayed onto the gate. To obtain the final solid, tough, abrasion resistant coating, powder coated items are then placed in a special oven and heated to temperatures that range from 160 to 210 degrees C.

Swing and Slide Gates

At Rick's, we offer options for both swinging and slide gates. For swinging gates, the ideal driveway is level in the direction of travel 12' to either side of the gate opening and level across the opening of the driveway. It is also recommended that the gate is not positioned on a curve in the driveway.

On-Site Planning & Designing

Once the area is surveyed for ideal placement and size of gate and the ground surface is inspected for being level and stable, we will then work closely with you to insure the gate fits its environment, your taste, and budget. Drawings are supplied to help with your gate selection. If you prefer a custom design, our design specialists will offer you a quote for your specific requirements.

Finial Styles



Liftmaster Gate Operators

LA500PKGU: Setting the New Standard with Best-in-Class Features

Commercial-Duty Cast Aluminum Housing with Heavy-Duty DC Motor powerful enough to perform in the most demanding applications.

Soft Start/Stop and Mid-Travel Reversal extends operator and hardware life in high-cycle and heavy-gate applications.

Keyed Manual Disconnect when unlocked, allows gate to be operated manually.

Inherent Reversing Sensor detects obstructions or increased loads. Reverses gate when closing or stops/reverses the gate when opening.

IDEAL FOR
Ornamental or large swing gates and rural gate applications.



WARRANTY
Two years.

Fire Department Compliance allows gate to auto open upon loss of AC power or battery depletion.


Molecularly Bonded Coating on drive system never needs lubrication.

Quick Close/Anti-Tailgate quickly secures property, preventing unauthorized access.

Surge Suppression provides industrial surge and lightning protection against strikes up to 50 feet away.



ORNAMENTAL GATE OPTIONS:



Built to last - Built by Rick's

Only heavy gauge steel is used in our production. Welds are ground down and blended into surrounding surfaces. Our gates are fabricated in our dedicated facility with precision and the highest quality control.

The hinges we install on all of our driveway gates use a pin type system that allows the gate to retain a smooth operation, by hand or using a gate operator. Our hinges are rated at 1,000 lbs. capacity per leaf. A normal gate leaf will weigh less than 300 lbs.

Swinging gates are installed with heavy 6"x6" posts and set 3' to 4' in concrete for a long sag free life. 5" and 4" posts also available.



www.RicksFencing.com

HILLSBORO
4543 SE TV Hwy
(503) 640-5434

GRESHAM
17855 NE Halsey St.
(503) 669-0795

SALEM
8755 Portland Rd NE
(503) 463-8331

VANCOUVER
13203 NE Fourth Plain Blvd
(360) 253-3792

TRI-CITIES
9120 W Clearwater Ave
(509) 736-3325

Ornamental Gates